COMMISSION REGULATION (EC) No 614/2004 of 30 March 2004

concerning the classification of certain goods in the Combined Nomenclature

THE COMMISSION OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Community,

Having regard to Council Regulation (EEC) No 2658/87 of 23 July 1987 on the tariff and statistical nomenclature and on the Common Customs Tariff (i), and in particular Article 9(1)(a) thereof.

Whereas:

- (1) In order to ensure uniform application of the Combined Nomenclature annexed to Regulation (EEC) No 2658/87, it is necessary to adopt measures concerning the classification of the goods referred to in the Annex to this Regulation.
- (2) Regulation (EEC) No 2658/87 has laid down the general rules for the interpretation of the Combined Nomenclature. Those rules apply also to any other nomenclature which is wholly or partly based on it or which adds any additional subdivision to it and which is established by specific Community provisions, with a view to the application of tariff and other measures relating to trade in goods.
- (3) Pursuant to those general rules, the goods described in column 1 of the table set out in the Annex should be classified under the CN code indicated in column 2, by virtue of the reasons set out in column 3.
- (4) It is appropriate to provide that binding tariff information which has been issued by the customs authorities of Member States in respect of the classification of goods in the Combined Nomenclature but which is not in accordance with this Regulation can, for a period of three

- months, continue to be invoked by the holder, under Article 12(6) of Council Regulation (EEC) No 2913/92 of 12 October 1992 establishing the Community Customs Code (²).
- (5) The Customs Code Committee has not delivered an opinion within the time limit set by its chairman as regards product No 2 in the annexed table.
- (6) The measures provided for in this Regulation are in accordance with the opinion of the Customs Code Committee as regards products Nos 1, 3, 4, 5, 6 and 7 in the annexed table,

HAS ADOPTED THIS REGULATION:

Article 1

The goods described in column 1 of the table set out in the Annex shall be classified within the Combined Nomenclature under the CN code indicated in column 2.

Article 2

Binding tariff information issued by the customs authorities of Member States, which is not in accordance with this Regulation, can continue to be invoked for a period of three months pursuant to Article 12(6) of Regulation (EEC) No 2913/92.

Article 3

This Regulation shall enter into force on the 20th day following its publication in the Official Journal of the European Union

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 30 March 2004.

For the Commission Frederik BOLKESTEIN Member of the Commission

⁽¹) OJ L 256, 7.9.1987, p. 1; Regulation as last amended by Commission Regulation (EC) No 2344/2003 (OJ L 346, 31.12.2003, p. 38).

⁽²) OJ L 302, 19.10.1992, p. 1; Regulation as last amended by the Act of Accession of 2003.

ANNEX

	Description	Classification (CN code)	Reasons
_	(1)	(2)	(3)
1.	Network controller in a housing with dimensions of 355 × 285 × 115 mm, a liquid crystal display (4 lines × 20 characters) and a keyboard with four control buttons.	8471 80 00	Classification is determined by general rules 1 and 6 for the interpretation of the Combined Nomenclature, note 3 to section XVI and by the wording of CN codes 8471 and 8471 80 00.
	The apparatus is microprocessor based and also contains parameter memory, program memory and a disk drive. It has a transceiver plug-in facility.		The function as a connection unit in relation to the memory function is the principal function that characterises the whole.
	The apparatus has up to eight multifunction interfaces for configuration and network-connection.		
	The apparatus processes signals and reformats data for transmission between an automatic data-processing machine and a radio transceiver on a wired network.		
_			
2.	Network controller with built-in radio transceiver unit, in a housing with dimensions of $355 \times 285 \times 115$ mm, a liquid crystal display (4 lines × 20 characters) and a keyboard with four control buttons.	8471 80 00	Classification is determined by general rules 1 and 6 for the interpretation of the Combined Nomenclature, note 3 to section XVI, and by the wording of CN codes 8471 and 8471 80 00.
	The apparatus is microprocessor based and also contains parameter memory, program memory and a disk drive.		The function as a connection unit in relation to the memory function is the principal function that characterises the whole.
	The radio transceiver unit consists of a high-frequency component (HF component) with antenna, filter, amplifier, oscillator and frequency synthesiser. This unit transmits within a frequency range of 403 to 512 MHz to up to 20 programmable channels within a range of 400 m.		
	The apparatus has up to eight multifunction interfaces for configuration and network-connection.		
	The apparatus processes signals and reformats data for transmission between an automatic data-processing machine and a radio transceiver on a wired network.		
_			
3.	Radio-link controller in a housing with dimensions of $279 \times 224 \times 89$ mm, eight selecting buttons and an antenna.	8525 20 99	Classification is determined by general rules 1 and 6 for the interpretation of the Combined Nomenclature, note 3 to section XVI, and by the wording of CN codes 8525, 8525 20
	The apparatus consists of a microprocessor, program memory and a radio transceiver.		and 8525 20 99. Radio transmission/reception is the principal function that characterises the whole.
	The radio transceiver transmits and receives data on up to eight channels within a frequency range of 403 to 512 MHz within a range of 400 m.		characterises the whole.
	The device has an interface, which enables it to receive data from wireless terminals, and forwards it to the network via a network controller. It is also connected to an automatic data-processing machine.		



Description	Classification (CN code)	Reasons
(1)	(2)	(3)
4. Wireless gateway in a housing with dimensions of 292 × 292 × 70 mm with an antenna. The apparatus consists of a microprocessor, program	8525 20 99	Classification is determined by general rules 1 and 6 for the interpretation of the Combined Nomenclature, note 3 to section XVI, and by the wording of CN codes 8525, 8525 20 and 8525 20 99.
memories and a radio transceiver. This radio transceiver transmits and receives data on up to eight channels within a frequency range of 403 to 512 MHz within a range of 400 m.		Radio transmission/reception is the principal function that characterises the whole.
The device has an interface, which enables it to receive data from wireless terminals, and forwards it directly to the network. It is also connected to an automatic data-processing machine.		
5. A hand-held device consisting of a microprocessor, a liquid crystal display, a keyboard with data input and control keys, a radio transceiver and an interface for a bar code reader.	8525 20 99	Classification is determined by general rules 1 and 6 for the interpretation of the Combined Nomenclature, note 3 to section XVI, and by the wording of CN codes 8525, 8525 20 and 8525 20 99.
The data is input manually into the device. Its function is to exchange data with an automatic data-processing machine via a wireless gateway or a network controller.		Radio transmission/reception is the principal function that characterises the whole.
6. A hand-held device consisting of a microprocessor, a liquid crystal display, a keyboard with data input and control keys, a radio transceiver and a bar code reader.	8525 20 99	Classification is determined by general rules 1 and 6 for the interpretation of the Combined Nomenclature, note 3 to section XVI, and by the wording of CN codes 8525, 8525 20
The data is input into the device either manually or via the bar code reader. Its function is to exchange data with an automatic data processing machine via a wireless gateway or a network controller.		and 8525 20 99. Radio transmission/reception is the principal function that characterises the whole.
7. Goods management system for dissemination of instructions to staff e.g. in warehouses, and transfer of data from packaging to automatic data-processing machines both by radio transmission within a range of 400 m and by wire. The system consists of:		Classification is determined by general rules 1 and 6 for the interpretation of the Combined Nomenclature and by the wording of the relevant CN codes. The individual interconnected components of the system do not perform any precisely defined function within the
— a network controller	8471 80 00	meaning of note 4 to section XVI.
— a radio-link controller	8525 20 99	
— a wireless gateway	8525 20 99	
— a hand-held terminal	8525 20 99	
— a hand-held terminal with bar code reader	8525 20 99	
The data is sent by radio from the hand-held terminals either to the radio-link controller or to the wireless gateway and transferred from there by wire via the network controller to automatic data-processing machines (not components of the system).		
The components of the system are put together in varying compositions.		
(See the illustration) (*)		

